



### SHORT-LEAVED MILKWORT

*Polygala brevifolia*

Located in sandy swamps along the coast from New Jersey to Florida.

A slender and weak-stemmed annual; may be branched or unbranched; stems square in cross section; 5 to 35 cm high. Leaves narrow, spatula-shaped, firm, toothless narrowing to the stem; lower leaves in whorls of 4 or 5, upper leaves single and scattered; generally less than 2.5 cm long. Flowers are rose-purple, irregular shaped with two triangular shaped side petals that are longer than wide; in clusters at the end of long stalks; the stalks are covered with small (1 mm long) leaf-like bracts; blooming from July to September.





### SHORT-LEAVED MILKWORT

*Polygala brevifolia*

Located in sandy swamps along the coast from New Jersey to Florida.

A slender and weak-stemmed annual; may be branched or unbranched; stems square in cross section; 5 to 35 cm high. Leaves narrow, spatula-shaped, firm, toothless narrowing to the stem; lower leaves in whorls of 4 or 5, upper leaves single and scattered; generally less than 2.5 cm long. Flowers are rose-purple, irregular shaped with two triangular shaped side petals that are longer than wide; in clusters at the end of long stalks; the stalks are covered with small (1 mm long) leaf-like bracts; blooming from July to September.