

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

	Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick	15 (Barracks)	B105	5406692	11/06/01	Lost	
5	Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick	15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick	15 (Barracks)	A103	Office	----	----	
9	Natick	15 (Barracks)	A104	5406656	11/06/01	Lost	
10	Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick	15 (Barracks)	A109	5406725	11/06/01	Lost	
15	Natick	15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16							
17	Natick	93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick	94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick	95	Mich	5406750	11/06/01	02/26/02	0.5
20							
21							
22							
23							
24							
25							

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick 15 (Barracks)	B102 ✓	5406779 ✓	11/06/01	2-27-02	
2	Natick 15 (Barracks)	B103 ✓	5406729 ✓	11/06/01	2-27-02	
3	Natick 15 (Barracks)	B104 ✓	5406793 ✓	11/06/01	2-27-02	
4	Natick 15 (Barracks)	B105 ✓	5406692 ✓	11/06/01	Lost	
5	Natick 15 (Barracks)	B106 ✓	5406734 ✓	11/06/01	2-28-02	
6	Natick 15 (Barracks)	B106 ✓	5406684 ✓	11/06/01	2-28-02	
7	Natick 15 (Barracks)	A102 ✓	5406849 ✓	11/06/01	2-27-02	
8	Natick 15 (Barracks)	A103	Office			
9	Natick 15 (Barracks)	A104 ✓	5406656 ✓	11/06/01	Lost	
10	Natick 15 (Barracks)	A105 ✓	5406757 ✓	11/06/01	2-27-02	
11	Natick 15 (Barracks)	A106 ✓	5406772 ✓	11/06/01	2-27-02	
12	Natick 15 (Barracks)	A107 ✓	5406797 ✓	11/06/01	2-27-02	
13	Natick 15 (Barracks)	A108 ✓	5406787 ✓	11/06/01	2-27-02	
14	Natick 15 (Barracks)	A109 ✓	5406725 ✓	11/06/01	Lost	
15	Natick 15 (Barracks)	A201 ✓	5406763 ✓	11/06/01	2-27-02	
16						
17	Natick 93	Doug ✓	5406838 ✓	11/06/01	2-27-02	
18	Natick 94	Doug ✓	5406824 ✓	11/06/01	2-27-02	
19	Natick 95	Mich ✓	5406750 ✓	11/06/01	2-26-02	
20						
21						
22						
23						
24						
25						

MOS
455
X

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick 15 (Barracks)	B102	5406779	11/06/01	02/27/02	
2	Natick 15 (Barracks)	B103	5406729	11/06/01	02/27/02	
3	Natick 15 (Barracks)	B104	5406793	11/06/01	02/27/02	
4	Natick 15 (Barracks)	B105	5406692	11/06/01	Lost ✓	
5	Natick 15 (Barracks)	B106	5406734	11/06/01	02/28/02	
6	Natick 15 (Barracks)	B106	5406684	11/06/01	02/28/02	
7	Natick 15 (Barracks)	A102	5406849	11/06/01	02/27/02	
8	Natick 15 (Barracks)	A103	Office	----	----	
9	Natick 15 (Barracks)	A104	5406656	11/06/01	Lost	
10	Natick 15 (Barracks)	A105	5406757	11/06/01	02/27/02	
11	Natick 15 (Barracks)	A106	5406772	11/06/01	02/27/02	
12	Natick 15 (Barracks)	A107	5406797	11/06/01	02/27/02	
13	Natick 15 (Barracks)	A108	5406787	11/06/01	02/27/02	
14	Natick 15 (Barracks)	A109	5406725	11/06/01	Lost	
15	Natick 15 (Barracks)	A201	5406763	11/06/01	02/27/02	
16						
17	Natick 93	Doug	5406838	11/06/01	02/27/02	
18	Natick 94	Doug	5406824	11/06/01	02/27/02	
19	Natick 95	Mich	5406750	11/06/01	02/26/02	
20						
21						
22						
23						
24						
25						

3-27-02
5406700

3-27-02
5406791

3-27-02
5406791
5406756

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

	Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick	15 (Barracks)	B105	5406692	11/06/01	Leak	
5	Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick	15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick	15 (Barracks)	A103	Office	-----	-----	
9	Natick	15 (Barracks)	A104	5406656	11/06/01	Leak	
10	Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick	15 (Barracks)	A109	5406725	11/06/01	Leak	
15	Natick	15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16							
17	Natick	93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick	94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick	95	Mich	5406750	11/06/01	02/26/02	0.5
20							
21							
22							
23							
24							
25							

Retest - 2
Pickup
Pickup
Retest - 2
Retest - 2
Retest - 2
Retest - 2
Pickup

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

	Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick	15 (Barracks)	B105	5406692	11/06/01	Lost	
5	Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick	15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick	15 (Barracks)	A103	Office	-----	-----	
9	Natick	15 (Barracks)	A104	5406656	11/06/01	Lost	
10	Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick	15 (Barracks)	A109	5406725	11/06/01	Lost	
15	Natick	15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16							
17	Natick	93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick	94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick	95	Mich	5406750	11/06/01	02/26/02	0.5
20							
21	Natick	15 (Barracks)	B105	5406700	03/27/02		
22	Natick	15 (Barracks)	A104	5406656	03/27/02		
23	Natick	15 (Barracks)	A109	5406756	03/27/02		
24							
25							

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick 15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick 15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick 15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick 15 (Barracks)	B105	5406692	11/06/01	Lost	L
5	Natick 15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick 15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick 15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick 15 (Barracks)	A103	Office	---	----	---
9	Natick 15 (Barracks)	A104	5406656	11/06/01	Lost	L
10	Natick 15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick 15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick 15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick 15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick 15 (Barracks)	A109	5406725	11/06/01	Lost	L
15	Natick 15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16						
17	Natick 93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick 94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick 95	Mich	5406750	11/06/01	02/26/02	0.5
20						
21	Natick 15 (Barracks)	B105	5406700	03/27/02		
22	Natick 15 (Barracks)	A104	5406656	03/27/02		
23	Natick 15 (Barracks)	A109	5406756	03/27/02		
24						
25						

folded

*lost
lost
lost
lost*

folded

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l	
1	Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick	15 (Barracks)	B105	5406992	11/06/01	Lost	
5	Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick	15 (Barracks)	B106	5406884	11/06/01	02/28/02	0.9
7	Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick	15 (Barracks)	A103	Office	-----	-----	
9	Natick	15 (Barracks)	A104	5406656	11/06/01	Lost	
10	Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick	15 (Barracks)	A109	5406725	11/06/01	Lost	
15	Natick	15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16							
17	Natick	93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick	94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick	95	Mich	5406750	11/06/01	02/26/02	0.5
20							
21	Natick	15 (Barracks)	B105	5406700	03/27/02	07/03/02	
22	Natick	15 (Barracks)	A104	5406656	03/27/02	07/03/02	
23	Natick	15 (Barracks)	A109	5406756	03/27/02	07/03/02	
24							
25	Natick	94 (Entry)	Doug	5409981	06/05/02		
26	Natick	94 (Lab)	Doug	5409998	06/05/02		
27							
28	Natick	15 (Barracks)	B103	5410014	07/03/02		
29	Natick	15 (Barracks)	A105	5409929	07/03/02		
30	Natick	15 (Barracks)	A106	5410000	07/03/02		
31	Natick	15 (Barracks)	A107	5409997	07/03/02		
32	Natick	15 (Barracks)	A108	5410004	07/03/02		

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

	Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick	15 (Barracks)	B105	5406692	11/06/01	Lost	—
5	Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick	15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick	15 (Barracks)	A103	Office	—	—	—
9	Natick	15 (Barracks)	A104	5406656	11/06/01	Lost	—
10	Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick	15 (Barracks)	A109	5406725	11/06/01	Lost	—
15	Natick	15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16							
17	Natick	93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick	94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick	95	Mich	5406750	11/06/01	02/26/02	0.5
20							
21	Natick	15 (Barracks)	B105	5406700	03/27/02	07/03/02	2.1
22	Natick	15 (Barracks)	A104	5406656	03/27/02	07/03/02	6.5
23	Natick	15 (Barracks)	A109	5406756	03/27/02	07/03/02	2.3
24							
25	Natick	94 (Entry)	Doug	5409981	06/05/02		
26	Natick	94 (Lab)	Doug	5409998	06/05/02		
27							
28	Natick	15 (Barracks)	B103	5410014	07/03/02		
29	Natick	15 (Barracks)	A105	5409929	07/03/02		
30	Natick	15 (Barracks)	A106	5410000	07/03/02		
31	Natick	15 (Barracks)	A107	5409997	07/03/02		
32	Natick	15 (Barracks)	A108	5410004	07/03/02		

New Result

Natick Barracks A104 5409976 68-23-02

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
Natick	15 (Barracks)	B105	5406692	11/06/01	Lost	---
Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
Natick	15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
Natick	15 (Barracks)	A103	Office	---	---	---
Natick	15 (Barracks)	A104	5406656	11/06/01	Lost	---
Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
Natick	15 (Barracks)	A109	5406725	11/06/01	Lost	---
Natick	15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
Natick	93	Doug	5406838	11/06/01	02/27/02	0.7
Natick	94	Doug	5406824	11/06/01	02/27/02	2.4
Natick	95	Mich	5406750	11/06/01	02/26/02	0.5
Natick	15 (Barracks)	B105	5406700	03/27/02	07/03/02	2.1
Natick	15 (Barracks)	A104	5406656	03/27/02	07/03/02	6.5
Natick	15 (Barracks)	A109	5406756	03/27/02	07/03/02	2.3
Natick	94 (Entry)	Doug	5409981	06/05/02		
Natick	94 (Lab)	Doug	5409998	06/05/02		
Natick	15 (Barracks)	B103	5410014	07/03/02	2-10-03	
Natick	15 (Barracks)	A105	5409929	07/03/02	2-10-03	
Natick	15 (Barracks)	A106	5410000	07/03/02		
Natick	15 (Barracks)	A107	5409997	07/03/02	2-10-03	
Natick	15 (Barracks)	A108	5410004	07/03/02		
Natick	15 (Barracks)	A104	5409976	08/23/02	2-10-03	

Rot. Bucier
358-0736
0
4

Blank 5409984

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick 15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick 15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick 15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick 15 (Barracks)	B105	5406692	11/06/01	Lost	-----
5	Natick 15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick 15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick 15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick 15 (Barracks)	A103	Office	-----	-----	-----
9	Natick 15 (Barracks)	A104	5406656	11/06/01	Lost	-----
10	Natick 15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick 15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick 15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick 15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick 15 (Barracks)	A109	5406725	11/06/01	Lost	-----
15	Natick 15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16						
17	Natick 93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick 94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick 95	Mich	5406750	11/06/01	02/26/02	0.5
20						
21	Natick 15 (Barracks)	B105	5406700	03/27/02	07/03/02	2.1
22	Natick 15 (Barracks)	A104	5406656	03/27/02	07/03/02	6.5
23	Natick 15 (Barracks)	A109	5406756	03/27/02	07/03/02	2.3
24						
25	Natick 94 (Entry)	Doug	5409981	06/05/02	4-22-03 pend	-----
26	Natick 94 (Lab)	Doug	5409998	06/05/02	04-22-03 pend	-----
27						
28	Natick 15 (Barracks)	B103	5410014	07/03/02	02/10/03	Pending
29	Natick 15 (Barracks)	A105	5409929	07/03/02	02/10/03	Pending
30	Natick 15 (Barracks)	A106	5410000	07/03/02	Lost	-----
31	Natick 15 (Barracks)	A107	5409997	07/03/02	02/10/03	Pending
32	Natick 15 (Barracks)	A108	5410004	07/03/02	Lost	-----
33						
34	Natick 15 (Barracks)	A104	5409976	08/23/02	02/10/03	Pending

1.2
2.1
2.4
3.1

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

	Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick	15 (Barracks)	B105	5406692	11/06/01	Lost	----
5	Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick	15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick	15 (Barracks)	A103	Office	----	----	----
9	Natick	15 (Barracks)	A104	5406656	11/06/01	Lost	----
10	Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick	15 (Barracks)	A109	5406725	11/06/01	Lost	----
15	Natick	15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16							
17	Natick	93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick	94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick	95	Mich	5406750	11/06/01	02/26/02	0.5
20							
21	Natick	15 (Barracks)	B105	5406700	03/27/02	07/03/02	2.1
22	Natick	15 (Barracks)	A104	5406656	03/27/02	07/03/02	6.5
23	Natick	15 (Barracks)	A109	5406756	03/27/02	07/03/02	2.3
24							
25	Natick	94 (Entry)	Doug	5409981	06/05/02	04/22/03	pending
26	Natick	94 (Lab)	Doug	5409998	06/05/02	04/22/03	pending
27							
28	Natick	15 (Barracks)	B103	5410014	07/03/02	02/10/03	1.2
29	Natick	15 (Barracks)	A105	5409929	07/03/02	02/10/03	2.1
30	Natick	15 (Barracks)	A106	5410000	07/03/02	Lost	----
31	Natick	15 (Barracks)	A107	5409997	07/03/02	02/10/03	2.4
32	Natick	15 (Barracks)	A108	5410004	07/03/02	Lost	----
33	Natick	15 (Barracks)	A104	5409976	08/23/02	02/10/03	3.1
34							
35	Natick	15 (Barracks)	B103	5420547	06/16/03		
36	Natick	15 (Barracks)	B103	5420509	06/16/03		
37	Natick	15 (Barracks)	A104	5420569	06/16/03		
38	Natick	15 (Barracks)	A104	5420581	06/16/03		
39	Natick	15 (Barracks)	A105	5420578	06/16/03		
40	Natick	15 (Barracks)	A105	5420592	06/16/03		
41	Natick	15 (Barracks)	A106	5420579	06/16/03		
42	Natick	15 (Barracks)	A106	5420580	06/16/03		
43	Natick	15 (Barracks)	A107	5420561	06/16/03		
44							
45							

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

	Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick	15 (Barracks)	B105	5406692	11/06/01	Lost	----
5	Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick	15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick	15 (Barracks)	A103	Office	----	----	----
9	Natick	15 (Barracks)	A104	5406656	11/06/01	Lost	----
10	Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick	15 (Barracks)	A109	5406725	11/06/01	Lost	----
15	Natick	15 (Barracks)	A201	5406771	11/06/01	02/27/02	0.6
16							
17	Natick	93	Dc			02/27/02	0.7
18	Natick	94	Dc			02/27/02	2.4
19	Natick	95	Mh			02/26/02	0.5
20							
21	Natick	15 (Barracks)	B103			07/03/02	2.1
22	Natick	15 (Barracks)	A104			07/03/02	6.5
23	Natick	15 (Barracks)	A109			07/03/02	2.3
24							
25	Natick	94 (Entry)	Doug			04/22/03	1.1
26	Natick	94 (Lab)	Doug			04/22/03	1.4
27							
28	Natick	15 (Barracks)	B103			02/10/03	1.2
29	Natick	15 (Barracks)	A105		07/03/02	02/10/03	2.1
30	Natick	15 (Barracks)	A106	5410000	07/03/02	Lost	----
31	Natick	15 (Barracks)	A107	5409997	07/03/02	02/10/03	2.4
32	Natick	15 (Barracks)	A108	5410004	07/03/02	Lost	----
33	Natick	15 (Barracks)	A104	5409976	08/23/02	02/10/03	3.1
34							
35	Natick	15 (Barracks)	B103	5420547	06/16/03		
36	Natick	15 (Barracks)	B103	5420509	06/16/03		
37	Natick	15 (Barracks)	A104	5420569	06/16/03		
38	Natick	15 (Barracks)	A104	5420581	06/16/03		
39	Natick	15 (Barracks)	A105	5420578	06/16/03		
40	Natick	15 (Barracks)	A105	5420592	06/16/03		
41	Natick	15 (Barracks)	A106	5420579	06/16/03		
42	Natick	15 (Barracks)	A106	5420580	06/16/03		
43	Natick	15 (Barracks)	A107	5420561	06/16/03		
44							
45							

D105

B103-2
A104-2
A105-2
A106-2
A107-1

(9 total)

RADON DETECTORS

All detectors in the Barracks, were set on the tall cabinets with double sided tape.

	Primary Location	Building Number	Room Number	ATM Serial No.	Placement Date	Removed Date	Avg. Radon Conc. pCi/l
1	Natick	15 (Barracks)	B102	5406779	11/06/01	02/27/02	1.4
2	Natick	15 (Barracks)	B103	5406729	11/06/01	02/27/02	4.5
3	Natick	15 (Barracks)	B104	5406793	11/06/01	02/27/02	0.9
4	Natick	15 (Barracks)	B105	5406692	11/06/01	Lost	-----
5	Natick	15 (Barracks)	B106	5406734	11/06/01	02/28/02	1.2
6	Natick	15 (Barracks)	B106	5406684	11/06/01	02/28/02	0.9
7	Natick	15 (Barracks)	A102	5406849	11/06/01	02/27/02	1.4
8	Natick	15 (Barracks)	A103	Office	-----	-----	-----
9	Natick	15 (Barracks)	A104	5406656	11/06/01	Lost	-----
10	Natick	15 (Barracks)	A105	5406757	11/06/01	02/27/02	3.7
11	Natick	15 (Barracks)	A106	5406772	11/06/01	02/27/02	3.9
12	Natick	15 (Barracks)	A107	5406797	11/06/01	02/27/02	3.4
13	Natick	15 (Barracks)	A108	5406787	11/06/01	02/27/02	2.6
14	Natick	15 (Barracks)	A109	5406725	11/06/01	Lost	-----
15	Natick	15 (Barracks)	A201	5406763	11/06/01	02/27/02	0.6
16							
17	Natick	93	Doug	5406838	11/06/01	02/27/02	0.7
18	Natick	94	Doug	5406824	11/06/01	02/27/02	2.4
19	Natick	95	Mich	5406750	11/06/01	02/26/02	0.5
20							
21	Natick	15 (Barracks)	B105	5406700	03/27/02	07/03/02	2.1
22	Natick	15 (Barracks)	A104	5406656	03/27/02	07/03/02	6.5
23	Natick	15 (Barracks)	A109	5406756	03/27/02	07/03/02	2.3
24							
25	Natick	94 (Entry)	Doug	5409981	06/05/02	04/22/03	1.1
26	Natick	94 (Lab)	Doug	5409998	06/05/02	04/22/03	1.4
27							
28	Natick	15 (Barracks)	B103	5410014	07/03/02	02/10/03	1.2
29	Natick	15 (Barracks)	A105	5409929	07/03/02	02/10/03	2.1
30	Natick	15 (Barracks)	A106	5410000	07/03/02	Lost	-----
31	Natick	15 (Barracks)	A107	5409997	07/03/02	02/10/03	2.4
32	Natick	15 (Barracks)	A108	5410004	07/03/02	Lost	-----
33	Natick	15 (Barracks)	A104	5409976	08/23/02	02/10/03	3.1
34							
35	Natick	15 (Barracks)	B103	5420547	06/16/03	09/24/03	0.6
36	Natick	15 (Barracks)	B103	5420509	06/16/03	09/24/03	0.8
37	Natick	15 (Barracks)	A104	5420569	06/16/03	09/24/03	0.5
38	Natick	15 (Barracks)	A104	5420581	06/16/03	09/24/03	0.4
39	Natick	15 (Barracks)	A105	5420578	06/16/03	Lost	-----
40	Natick	15 (Barracks)	A105	5420592	06/16/03	Lost	-----
41	Natick	15 (Barracks)	A106	5420579	06/16/03	09/24/03	0.3
42	Natick	15 (Barracks)	A106	5420580	06/16/03	09/24/03	0.3
43	Natick	15 (Barracks)	A107	5420561	06/16/03	Lost	-----
44							
45							