

## RECORD OF ENVIRONMENTAL CONSIDERATION (REC)

**PROJECT TITLE:** Provide Tuck Pointing/Clean and Seal Limestone at Quarters 3/3232 Terrace Drive

Project # 91475

Anticipated date and/or duration of proposed action: (MM/DD/YY): 120 days

**BRIEF DESCRIPTION OF THE PROJECT:** Provide tuck pointing based on the areas where mortar needs to be ground out and tuck pointed on the housing quarters and chimneys. Grind 50% of existing mortar between areas noted for tuck pointing and tuck joints with matching mortar color. Utilize Type "N" mortar for tuck pointing. Apply a test patch in order to determine that the new mortar matches existing.

Contractor is to clean the entire exterior masonry of surface contaminants; Cleaning product shall be PROSOCO EnviroKlean 2100 All-Surface Cleaner or approved equivalent non-acidic cleaner suitable for use on non-polished calcareous masonry; Hand scrubbing is likely to be necessary at sills/heads of wall fenestrations; Rinse areas with a neutralizing after wash; Contractor shall then apply Evonik Industries Protectosil Chem-Trete 40D or approved equivalent penetrating water repellent and stone consolidant suitable for use on above-grade exterior non-polished calcareous masonry; Apply a test in a location to be chosen by the COR in order to ensure the selected product does not affect stone or mortar color; Products chosen by the contractor other than those specified by PW Environmental, shall be submitted and approved by the Government prior to use.

**THIS PROJECT IS CATEGORICALLY EXCLUDED UNDER:**

- a. Per 32 CFR Part 651.29(a) (1, 2, and 3): The action has not been segmented, no exceptional circumstances exist (b) (1-14), and one or more of the Categorical Exclusions (CX's) encompass the proposed action.
- b. Per 32 CFR Part 651, Appendix B, Section II, the following CX applies which states: (g) Repair and maintenance activities: (1) Routine repair and maintenance of buildings, airfields, grounds, equipment, and other facilities. Examples include, but are not limited to: Removal and disposal of asbestos containing material (for example, roof material and floor tile) or lead-based paint in accordance with applicable regulations; removal of dead, diseased, or damaged trees; and repair of roofs, doors, windows, or fixtures or work on historic structures.

**Environmental Considerations**

\*\*The scope of this IJO meets the Secretary of Interior's Standards for Preservation (36 CFR 68.3(a)), as concurred by the Illinois Historic Preservation Agency.

\*Contractor must be familiar with the USAG-RIA Spill Response & Notification procedures should a spill occur.

\*Contractor is responsible for proper collection/disposal of any solid/hazardous waste generated.

**RECORD OF ENVIRONMENTAL CONSIDERATION (REC)**

**Tera A. Hill**  
**Hazardous Materials Program Manager**

---

**George J. Schaub**  
**Asbestos & Lead-Based Paint Control Officer**  
**Installation Historical Preservation Manager**

---

**Reita A. Kuster**  
**Chief, Environmental Division**  
**Installation Environmental Coordinator**

---

**Robin Gaines**  
**NEPA Program Manager**

---